# Medical Anatomy Final Review

### **Body Plan and Organization Review**

01.03

Anatomy: structurePhysiology: function

01.04 Levels of Body Organization

Chemical: Calcium

Cellular: Muscle Fiber

Tissue: MuscleOrgan: Heart

Organ System: CardiovascularOrganism: Human Body

01.05 Metabolism

All chemical processes in body

a. anabolism: create

b. catabolism: break down

01.06 Directional Terms with relation to the midline

- Anterior/Posterior
- Medial/Lateral
- Proximal/Distal
- Superficial/Deep
- Superior/Inferior
- Ventral/Dorsal
- Addduction/Abduction

#### 01.07 Planes

- Sagittal: cut into right and left sections
- · Midsagittal: cut into equal right and left sides
- Transverse/horizontal: cut into top and bottom
- Frontal/coronal: cut into front and back half

#### 01.08 Cavities

- Dorsal:
  - a. vertebral
  - b. cranial
- Ventral:
  - a. thoracic: heart and lungs
    - 1. mediastinum: midline
    - 2. pericardial: heart
    - 3. pleural: lungs
  - b. Abdominal: quadrants of internal organs
  - c. Pelvic: reproductive and urinary

#### 01.09 Quadrants

- Left Upper Quadrant: spleen, stomach, left kidney
- Right Upper Quadrant: liver, right kidney
- Left Lower Quadrant: left ovary (small intestine, large intestine)
- Right Lower Quadrant: cecum, appendix, right ovary

### 01.10 Homeostasis vs. Stress

- Homeostasis: balance, equilibrium
- Stress: anything that disrupts homeostasis

### 01.11 Feedback Mechanisms

- Stimulus: stress that changes situation
- Receptor: sends info to control center
- Control center: integration and processing
- Effector: receives information and responds
- Types:
  - a. Negative: counteracts the stimulus example: glucose/insulin levels
  - b. Positive: enhances the stimulus example: breast feeding

### **Chemistry Review**

#### 02.01 Matter

- · Anything that occupies space and has mass
- Solid, liquid, gas
- Atoms: smallest unit of matter
  - a. nucleus: positive overall charge
    - 1. protons: positive
    - 2. neutrons: neutral
  - b. electron shells: negative charge
    - 1. electrons: negative
- Ion: charged particle
- Element: matter made up of same type of atoms

# 02.02 Most Abundant Elements

- Carbon, hydrogen, oxygen, nitrogen
- Less abundant but essential: sulfur, phosphorus

#### 02.03

- Compound: break down into two or more substances
- Molecule: combination of two or more atoms in a chemical reaction.

### 02.04 lons

- Cation: positively charged ion
- Anion: negatively charged ion

#### 02.05 Bonds

- lonic: one atom loses an electron to another atom; held together by opposite attractions
- Covalent: sharing of electrons
  - a. single, double, triple
- Hydrogen: weak bonds that form a bridge between molecules

### 02.06 pH

• Degree of acidity or alkalinity (base) of a solution

# 02.07 0-14 Range

- · Less than seven: acid
- Seven/neutral: distilled water
- Greater than seven: base

### 02.08 pH of blood

- 7.35-7.45
- 02.09 Properties of Water
  - Universal solvent
  - Transport mechanism
  - Lubricant
  - · Chemical reactions
  - Heat capacity

#### 02.10

- Inorganic: no carbon atoms (ionic bonds)
- Organic: carbon atoms (covalent bonds)
- 02.11 Life Molecules
  - Carbohydrates: CHO
    - a. energy source
    - b. sugars
  - Lipids: fats
    - a. higher source of energy; harder to break
  - · Proteins: made of amino acids
    - a. body tissues
    - b. enzymes/hormones
    - c. held together by peptide bonds
  - Nucleic Acids: DNA/RNA
    - a. adenine/thymine
    - b. cytosine/guanine
- 02.12 ATP and Energy Conversion
  - Adenosine Triphosphate (ATP)
    - a. Found in all living systems.
    - b. High energy compound that drives most chemical reactions.
  - c. ATP is produced by body cells in a process known as cellular respiration which involves the breaking down of glucose in a series of chemical reactions.
  - ADP + P + energy = ATP

### Cell Biology Review

- 03.01 Parts of an Animal Cell & Functions
  - Nucleus: control center, directs cell activities, contains chromosomes (DNA)
  - Cytosol: intracellular fluid, container for organelles
  - Organelles: small structures within the cell, each have specific functions
  - Plasma Membrane: see below
- 03.02 Structure and Function of Cell Membrane
  - Phospholipid bilayer, lipid heads, phosphate heads, integral proteins

# 03.03 Selective Permeability of Membrane

- Electrochemical gradient (outside positive, inside negative)
- Size, lipid solubility, charge, carrier proteins

#### 03.04 Fluids

- Extracellular: outside of the cell
- Intracellular: inside of the cell

### 03.05 Transport Processes

- Passive: No energy requirement
  - a. Diffusion: higher to lower concent.
  - b. Osmosis: water from high to low
  - c. Facilitated diffusion: use integral proteins to move from high to low
- Active: requires ATP
  - a. Active Transport: move against the gradient
  - b. Phagocytosis and Exocytosis: cell eating and exiting

### 03.06 Cell placed in solution

- Isotonic: same conc. Fluid will move in and out equally
- Hypotonic: lower conc. of dissolved substances outside the cell (more water out) water will move in (Burst cell).
- Hypertonic: higher conc. of dissolved substances outside cell (less water out) water will move out (Dehydrate cell).

#### 03.07 Functions of cell structures

- Nucleolus: surrounds the DNA
- Gene: master copy of genetic info
- · Chromatin: coils of chromosomes
- Chromosome: contain genes
- DNA: (Deoxyribonucleic Acid)
  - a. DNA is a double helix composed of nucleotides.
  - b. DNA contains genetic code or the information needed for

#### Organelles

- Ribosomes: protein synthesis
- Endoplasmic Reticulum: chemical reactions and intracellular transport
- Golgi Complex: process proteins
- Mitochondria: creates energy for cell
- Lysosomes: digestion
- Peroxisomes: detox
- Microfilaments: cell movement
- Microtubules: cytoskeleton
- Centrioles: move chromosomes for cell division
- Centrosomes: hold centrioles
- Flagella and cilia: movement/transport
- Vacuole: store water or food

### 03.08 Cell Division

- Mitosis: replication
- Meiosis: sexual repro/crossing over
- Cytokinesis: cell splitting

# Tissues and Integumentary System Review

#### 03.09 Tissues

- Epithelial: covers body surfaces, lines cavities, and forms glands Layer Arrangement:
  - a. Simple: single layer
  - b. Stratified: stacked in several layers
  - c. Pseudostratified: one weird layer

### Shape:

- a. Squamous: flattened sac shape
- b. Cuboidal: cube
- c. Columnar: tall and cylindrical
- d. Transitional: change shape
- Connective: binding and supportive tissue
  - a. dense fibrous
  - b. adipose
  - c. cartilage: structural support
    - 1. hyaline
    - 2. fibro
    - 3. elastic
  - d. osseous (bone)
    - 1.Bone:
      - a. compact
      - b. spongy
  - e. vascular (blood)
    - 1. Plasma: liquid aspect
    - 2. Erythrocytes: RBC transport O2 and CO2
    - 3. Leukocytes: WBC immunity
    - 4. Thrombocytes: platelets (clot)
  - f. Muscle:
    - 1. skeletal
    - 2. cardiac
    - 3. smooth
  - g. Nervous:
    - 1. Neuron
      - a) cell body
      - b) dendrite
      - c) axon

#### 03.10 Endocrine vs. Exocrine

- Endocrine: secrete into bloodstream
- Exocrine: secrete into ducts that dump outside the body

#### 03.11 Membranes

- Mucous: lines body cavities that open to the exterior
- Serous: lines cavities that do not open to the exterior
- Synovial: lines the cavities of freely moveable joints
- · Cutaneous: skin

# 03.12 Integumentary System

- Skin Function
  - a. regulation of body temp
  - b. protection
  - c. receives stimuli
  - d. excretion
  - e. immunity
- Glands of the Skin:
  - a. sebaceous glands: oil (03.16)
    - 1. protection, lubrication, hydration
  - b. sudoiferous: sweat glands (03.16)
    - 1. regulate body temp
    - 2. eliminate wastes
- Hair:
  - a. protection
  - b. touch receptors
- Nails:
  - a. grasp and manipulate small objects
  - b. protection

# 03.13 Skin Layers

- Epidermis: outer layer
  - a. Keratinocyte
  - b. Melanocyte
- Dermis: true skin
  - a. vascular layer
  - b. nervous layer
- Subcutaneous layer (hypodermis)
  - a. attaches to underlying surfaces

### Skeletal System Review

# 04.01 General Function of the Skeletal System

- Support
  - a. framework
  - b. supports soft tissue
  - c. point of attachment
- Protection
- Movement
- Mineral Storage
- Energy Storage
- Red Blood Cell Production (hematopoiesis)

#### 04.02 Bone Cells

- · Osteoblasts: bone formation
- Osteoclasts: break down bone
- Osteocytes: mature bone cells

# 04.03 Features of a Long Bone

- Diaphysis: shaft
- Epiphysis: ends of bone
- Metaphysis: growth region (where meet)
- Articular Cartilage: Hyeline Cartilage covering epiphysis
- · Periosteum: covering of rest of bone
- Marrow Cavity: Fatty marrow
- Endosteum: layer of bone cells in cavity
- Compact Bone: dense no intracellular space
- Spongy Bone: Irregular spaces and structure

### 04.04 Shapes of Bones

- Long: greater length than width
- Short: equal length and width (carpals/tarsals)
- Flat: Thin and Flat (cranial bones/sternum)
- Irregular: complex (vertebrae/facial bones)

# 04.05 Bone Markings

- Process: any projection from bone
- · Foramen: opening or hole
- Meatus: tube-like passageway
- Sinus: space lined with mucus membrane
- Condyle: knuckle
- Tuberosity: elevated rough area
- Trochanter: process on femur
- Tubercle: small rounded process

### 04.06 Sutures and Fontanels

- Suture: seam or stitch
- Fontanel: soft spot

#### 04.07 Skeletons

- Axial Skeleton: bones that lie along the midline
- Appendicular Skeleton: bones of free appendages

# 04.08 Skull Bones: look in packet and book for review

### 04.09 Vertebrae: 33 Total

- Cervical: 7 (neck)
- Thoracic: 12 (rib attachments)
- Lumbar: 5 (lower back)
- Sacral: 5 (fused, articulate with pelvic bones)
- Coccygeal: 4 (coccyx/ tailbone)

#### 04.10 Structural Articulations

- Fibrous: little or no movement, no spaces, held by dense fibrous connective tissue
- Synovial: synovial space
- Cartilagenous: little or no movement, no space, held by cartilage

### 04.11 Ligaments and Tendons

- Ligament: provides joint with structural stability
- Tendon: a band or cord of dense fibrous connective tissue extending from one bone to a muscle for attachment

# **Muscular System Review**

#### 05.01 Functions

- Motion
- Posture
- Heat Production
- Regulation of organ volume
- Protect internal organs

### 05.02 Characteristics of Muscle Tissue

- · Elasticity: return to normal length
- Excitability: respond to stimuli
- · Extensibility: lengthening
- · Contractility: shortening

# 05.03 Different Muscle Types

- Skeletal
  - a. attached to bones
  - b. striated
  - c. voluntary
  - d. myofilaments
- Cardiac
  - a. wall of the heart
  - b. striated
  - c. involuntary
- Smooth
  - a. blood vessel walls, stomach, intestines, urinary bladder
  - b. involuntary
  - c. non-striated

#### 05.04 Myofilaments

- Contractile Elements
  - a. Actin (thin)
  - b. myosin (thick)

# 05.05 Sliding Filament Theory of Muscle Contraction

- Myosin heads attach to the active site of the actin and ratchet or swivel pulling the actin myofilament.
- Causes shortening of the tissue fiber.

#### 05.06 Neuromuscular Junction

- Motor Neuron: stimulates muscle cell to contract
- Motor Unit: motor neuron and all its fibers
- Neuromuscular Junction: end of the axon terminal where it meets the muscle fiber
- Ach (acetylcholine): neurotransmitter released to cause an action potential (AP)
- Receptors: receive Ach and cause AP

# 05.07 Origin and Insertion

- Origin: the body segment that remains stable or stationary (proximal attachment)
- Insertion: the body segment that moves (distal attachment)

### 05.08 Prime Movers, etc...

- Agonist: prime mover
- Antagonist: performs opposite movement of agonist
- Synergist: assists agonist
- Fixator: stabilizer

#### 05.09 Locations of Skeletal Muscles

- Biceps Brachii: anterior humerous
- Triceps Brachii: posterior humerous
- Trapezius: Superior and posterior back
- Deltoid: shoulder
- Sternocleidomastoid: anterior neck/chest
- Pectoralis Major: Superior Chest
- Latissimus Dorsi: Inferior and posterior back
- · Diaphragm: inferior to thoracic cavity
- · Quadriceps: anterior thigh
- · Hamstrings: posterior thigh
- Gastrocnemius: posterior calf

### **Nervous System Review**

### O6.01 Functions

- Sensory: monitors changes inside and outside
- Integration: processes stimuli and decides upon next step
- Motor: response that activates muscles or glands

### 06.02 General Organization

### Structural

- Central Nervous System: brain and spinal cord
- Peripheral Nervous System: contains nerves that extend from the brain and spinal cord
  - a. spinal and cranial nerves

#### Functional

- Sensory: carry input messages to be integrated (afferent)
- Motor: transmit impulses from CNS (efferent)
  - a. voluntary: somatic
  - b. involuntary: autonomic
    - 1. sympathetic
    - 2. parasympathetic

### 06.03 Structure and Function

- Neurons
  - a. cell body
  - b. dendrite
  - c. axon
- Neuroglial Cells
  - a. astrocytes: anchors to blood capillaries
  - b. Microglia: dispose of dead cells/bacteria
  - c. Oligodendrocytes: produce myelin on axons in CNS
  - d. Ependymal cells: circulate CSF
  - e. Schwann cells: produce myelin on PNS fibers
  - f. Satelite cells: protect and cushion other neurons

### 06.04 Sequence of an Action Potential

- Resting: polarized membrane
  - a. High Potassium inside cell (positive)
  - b. High Sodium outside cell (negative)
- Neuron Stimulated:
  - a. sodium channels open
  - b. switch relative charges
- Repolarization:
  - a. sodium gates close
  - b. potassium gates open
  - c. restores original charges
- Restore Chemical Gradient:
  - a. sodium potassium pump reverses the chemicals using ATP

# 06.05 White and Grey Matter

- White: nerve fibers contain myelin
- · Grev: nerve fibers do not contain myelin

#### 06.06 Maintenance and Protection of CNS

- Meninges: outer to inner layer
  - a. dura mater: tough mother
  - b. arachnoid mater: spider mother (subarachnoid space)
  - c. pia mater: soft mother

### 06.07 Reflex Arc's

- Reflexes are rapid/predictable/involuntary responses to stimuli
  - a. sensory stimuli: detects incoming stimuli
  - b. afferent neuron: takes AP to spinal cord
  - c. interneuron: between spinal cord and brain
  - d. efferent neuron: takes AP from spinal cord
  - e. effector: stimulates muscle or gland response

### 06.08 Principle parts of brain

- Cerebrum: hemispheres, lobes
  - a. frontal, parietal, temporal, occipital lobes
- Cerebellum: coordination and balance
- Diencephalon: thalamus (relay station) and hypothalamus (regulation of body functions)
- Brainstem: pathway for impulses to and from brain

### 06.09 CSF: Cerebrospinal Fluid

- Produced by the choroid plexus
- Cushions nervous tissue
- · Found in ventricles in brain and in subarachnoid space

### 06.10 Structures of the brainstem

- Medulla oblongata: regulates heart rate, breathing, bp, swallowing, coughing, sneezing, vomiting
- · Pons: regulates rate and depth of breathing
- Midbrain: reflex centers for hearing and vision

### 06.11 Diencephalon

- Thalamus: relay station for sensory impulses whether it will be pleasant or not
- Hypothalamus: regulates body temperature, water balance, metabolism, thirst, hunger, pleasure, sex drive and emotions

#### 06.12 Lobes of the Cerebrum

- Frontal: skeletal muscle control, concentration, planning, problem solving, writing and speech
- Parietal: sensations of temperature, touch, pressure and pain
- Temporal: hearing and balance
- · Occipital: vision

#### 06.13 Cerebellum

- Control and coordination
- Equilibrium and Balance

### **Special Senses Review**

#### 06.15 Structures of the Eye

- Eyelid: protects anterior surface
- Conjunctiva: mucous membrane (moisten)
- Lacrimal Apparatus: secretes tears
- Extrinsic Muscles: move the eyeball
- Fibrous Tunic:
  - a. sclera: white portion
  - b. cornea: anterior clear bulge
- Vascular Tunic:
  - a. iris: colored portion
  - b. lens: focuses light
- Nervous Tunic:
  - a. retina: neurons entering the eye
  - b. rods and cones

### 06.16 Structures of the Ear

- Outer Ear:
  - a. auricle: outer appendage
  - b. auditory canal: opening to ear
- Middle Ear:
  - a. Eustachian tubes: equalizes pressure
  - b. Tympanic membrane: eardrum
  - c. Auditory Ossicles:
    - 1. Malleus: hammer
    - 2. Incus: anvil
    - 3. Stapes: stirrup
- Inner Ear:
  - a. semicircular canals: balance
  - b. vestibule: balance
  - c. cochlea: organs of corti

# **Endocrine System Review**

#### 07.01 General Functions

- Coordinate functions of all body systems
- Resgulate homeostasis through hormone secretion
- Regulate growth, development, and reproduction

#### 07.02 Hormones

 Hormone: secretions of endocrine glands that enter blood and effect a target cell, tissue, or organ

### 07.03 Glands and major secretions

- Pituitary: in brain
  - a. hGH
  - b. TSH
  - c. ACTH
- Thyroid Gland: throat
  - a. thyroxine
  - b. regulate metabolism
  - c. growth and development
  - d. increase HR, BP, and nervousness
- Adrenal Glands: superior to kidneys
  - a. epinephrine (adrenaline)
  - b. norepinephrine (noradrenaline)
  - c. Fight or flight response
- Pancreas: posterior to stomach
  - a. glucagons
  - b. insulin

#### **Blood Review**

- 08.01 Formed Elements of the blood
  - Erythrocytes: Red Blood Cells
  - Leukocytes: White Blood Cells
  - Thrombocytes: platelets
- 08.02 Erythrocytes
  - Carries O2 and CO2
  - Bioconcave Disk
  - Hemoglobin:
    - a. four globin chains bound to the red pigment called heme
    - b. each heme contains an irone which will bond to O2
- 08.03 Leukocytes
  - · Protects the body from infection
  - Granulocytes:
    - a. neutrophils
    - b. eosinophils
    - c. basophils
  - Agranulocytes:
    - a. monocytes
    - b. lymphocytes
- 08.04 Hemostasis
  - Stoppage of bleeding
  - a. Vascular Spasm: smooth muscle walls of vessels contract to decrease blood flow to injury
    - b. Platelet Plug Formation: platelets stick to the ends of the injured vessels
    - c. Coagulation: blood clotting (need clotting factors present)
- 08.05 Types of Clots
  - Thrombus: abnormal clot in a blood vessel
    - a. can stop blood supply to a vessel or an organ
  - Embolus: dislodged thrombus, traveling clot
- 08.06 Blood Typing
  - Antigens: proteins on the surface of RBC's
  - Antibodies: proteins that attach to specific antigens and destroy them
  - Type of blood names the antigen and have opposite antibodies
  - Ex. Type A blood has A antigens and type B antibodies
  - Type O is the universal donor
  - Type AB is the universal recipient
  - RH Factor
    - + is present / is not present

# Lymphatic System Review

### 08.08 Components

- · Lymph nodes: remove foreign particles and clean lymph fluid
- Spleen: filters blood
- Thymus Gland: Site of T cell Maturation
- Peyer's Patches: destroy pathogens in the small intestine
- Bone Marrow: produces white blood cells that mature into lymphocytes

# 08.09 Movement of Lymph

- Lymphatic capillaries: flow of lymph begins here (small)
- Lymphatic vessels: carry lymph toward the heart with one way valves (larger)
- Lymphatic trunk: larger vessels that dump into collecting ducts
- Blood Stream

#### 08.10

- Antigen: foreign substances that stimulate an immune response
- Antibody: proteins that are produced by cells that react with antigens to destroy them

# 08.11 Immunity

- T Cells in Cell Mediated Immunity
- Killer t cells: destroy virus infected cells, cancer cells, and foreign cells
- Helper t cells: stimulate other defensive activities of other lymphocytes
- Suppressor t cells: inhibits action of other lymphyocytes
- Memory t cells: stores info for the next infection
- Role of B cells in Humoral Immunity
- Humoral immunity: macrophage identifies an antigen and phagocytizes it and processes it.
- Plasma cells: synthesize and release antibodies
- Memory B cells: store information about the specific antigen for the next encounter

### 08.12 Immunities

- Naturally acquired active immunity: previous exposure to pathogens
- Naturally acquired passive immunity: transfer of antibodies from one person to another
- Artificially acquired active immunity: vaccine
- Artificially acquired passive immunity: antibodies from an animal or another person

#### Cardiovascular Review

#### 08.14 General Functions

 Transportation of oxygen, carbon dioxide, nutrients, hormones, waste products, enzymes, electrolytes, and other substances

### 08.15 Layers of the heart

- Epicardium: outer layer of the heart, visceral pericardium
- Myocardium: middle layer of the heart, heart muscle
- Endocardium: inner layer of the heart

#### 08.16 Chambers

- Atria: superior chambers, called the receiving chambers (from veins)
- Ventricles: inferior chambers, called the pumping chambers (to arteries)

#### 08.17 Great Vessels

- Superior and Inferior vena cava: drainage into right atrium: deoxygenated blood
- Pulmonary Trunk: branches into left and right pulmonary arteries which go to lungs
- Pulmonary arteries: take deoxygenated blood to the lungs
- Pulmonary veins: take oxygenated blood from lungs to left atrium
- Aorta: oxygenated blood from the left ventricle to the body
- Branches of the aorta: brachiocephalic, left subclavian, left common carotid

### 08.18 Valves

- Tricuspid: between right atria and ventricle
- Bicuspid: between left atria and ventricle
- Pulmonary Semi-lunar valve: between right ventricle and pulmonary trunk
- · Aortic Semi-lunar valve: between left ventricle and aorta

### 08.19 Blood Flow through the heart

 SVC/IVC, right atrium, tricuspid valve, right ventricle, pulmonary semi lunar valve, pulmonary trunk, pulmonary arteries, lungs, pulmonary veins, left atrium, bicuspid valve, left ventricle, aortic semilunar valve, aorta, branches

# 08.20 Conduction System Pathway

- SA node (pacemaker)
- AV node (backup pacemaker)
- AV bundle (bundle of his)
- Bundle branches
- Purkinje Fibers

# 08.21 Cardiac Cycle

- Systole: contraction
- Diastole: relaxation
- Lub: blood hits against closed AV valves
- Dub: blood hits against closed semilunar valves

### 08.22 Cardiac Output

- Stroke volume: volume of blood pumped out with each heartbeat
- Heart rate: number of heart beats in one minute
- Cardiac output: SV \* HR = CO
- Factors that affect cardiac output
- Anything that makes the heart beat faster or that makes it stronger
- Anything that tends to cause the heart to beat more slowly or more weakly

### 08.23 Arteries, capillaries, and veins

- Arteries: carries blood away from the heart
  - a. all except pulmonary artery carry oxygenated blood
  - b. small arteries are called arterioles
  - c. Layers: tunica externa, tunica media, tunica intima

- Veins: carry blood to the heart
  - a. all except pulmonary veins carry deoxygenated blood
  - b. small veins are called venules
  - c. same layers but have one way valves
- Capillaries: small vessels that exchange nutrients and wastes between arterioles and venules

#### 08.24 Pulse Points

- Radial: wrist
- Temporal: temples/ side of face
- Common carotid: sides of trachea in neck
- · Facial: lower jawbone
- Brachial: biceps brachii
- · Popliteal: behind knee
- · Posterior tibial: inner ankle
- Dorsalis pedis: upper foot

### 08.25 Blood Pressure:

- a. Systolic: force of blood pushing against the artery walls when ventricles contract
- b. Diastolic: force of blood pushing against the artery walls when the ventricles relax

# 08.29 Pulmonary and Systemic Circulation

- Pulmonary Circuit: blood flow from heart to lungs and back
- Systemic Circuit: blood flow from heart to the rest of the body and back

# 08.30 Risk factors for Cardiovascular Disease

- Non controllable: genetics, gender, age
- Controllable: smoking, high fat/cholesterol diet, blood pressure, inactivity, stress, weight

# Respiratory System Review

#### 09.01 Functions

- Deliver oxygenated air to alveoli
- Remove CO2
- · Filters, warms, humidifies air
- Produces sound
- Sense of smell
- Regulates pH

# 09.02 Passage of Air

- Nose/mouth
- Pharynx
- Larynx
- Trachea
- Bronchi
- Bronchioles
- Alveoli
- Alveolar sacs

### 09.03 Pharynx

- Nasopharynx
- Oropharynx
- Laryngopharynx

# 09.04 Larynx

- · Epiglottis: flap over trachea
- Glottis: opening for air between vocal cords
- Hyoid Bone: attachment for tongue/help swallow
- Thyroid Cartilage: adam's apple
- Vocal Cords: true (produce sound)
- False: close larynx during swallowing

# 09.05 Lungs

- Apex: superior aspect
- Base: inferior aspect/rests on diaphragm
- Lobes: 3 on right, 2 on left
- Fissures: divides lungs into lobes
- Pleura: visceral (sac encloses lungs), parietal (lines thoracic cavity)
- Pleural cavity: space filled with fluid

# 09.06 Gas Exchange

- Alveoli to capillary network
- Swap CO2 from blood with O2 from outside body

### 09.07 Ventilation

- Tidal Volume: air moved in and out during quiet breathing
- Inspiratory Reserve Volume: air during forced inhalation + TV
- Expiratory Reserve Volume: air during forced exhalation + TV
- Residual Volume: air remains in the lungs at all times
- Vital Capacity: Maximum air exhaled after deepest breath. VC=TV+IRV+ERV 09.08
- Ventilation: breathing air in and out
- External Respiration: exchange gas between air and blood
- Internal Respiration: exchange gas between blood and body cells

### 09.09 Effects of CO2 on Respiration

- Medulla Oblongata: sensitive to changes
- Respiratory Center: is stimulated if breathing rate increases; & if increased CO2 levels
- CO2 is a respiratory stimulus

### **Unit 14 Digestive Review**

#### 10.01 Functions

Break down large food molecules into small molecules to be used by body.

#### 10.02 Digestion

- Chemical: break down CHO, lipids, and proteins into their building blocks using chemical reactions
- Mechanical: break from large to small physically

### 10.03 Alimentary vs. Accessory

- · Alimentary: tube from mouth to anus
- · Accessory Organs: enzymes break down food

#### 10.04 Saliva

- 99.5% H2O, .5% Chemicals to break down food
- Salivary amylase; breaks down starch into maltose

#### 10.05 Teeth

- Crown: exposed above gums
- Neck: Line between crown and root
- Root: Embedded in jaw
- Gingivae: gums
- Dentin: basic shape of tooth
- Pulp Cavity: nerves and blood vessels inside tooth
- Enamel: hard protective cover

# 10.06 Digestive Processes

- Deglutition: swallowing
- Mastication: chewing
- Maceration: mix food with gastric juice = chyme
- Segmentation: bring chyme into contact with mucous membrane: absorption
- Haustral Churning: in large intestine, food fill haustra and is pushed to next haustra

#### 10.07 Stomach

- Stomach: gastric secretion takes place to break down food
  - a. fundus: storage
  - b. body: gastric pits
  - c. pylorus: link to SI, sphincter

### 10.08 Gastric Juice Components

- Pepsin: active digestive enzyme
- Hydrochloric Acid: activates pepsinogen to pepsin
- Mucous: protects lining of stomach

### 10.09 Pancreas

- Located posterior to stomach
- Secretes insulin and glucagon and pancreatic digestive juices (flow into SI)

#### 10.10 Bile

- Gallbladder: holds bile that is produced in liver
- Secretes into SI via common bile duct
- Bile emulsifies fat
- Bile pigment is bilirubin

#### 10.11 Small Intestine

- Duodenum: chemical digestion
- Jejunum: absorb nutrients
- Ileum: absorb nutrients

### 10.12 Large Intestine

- Absorbs water, vitamins, and electrolytes
- Produce vitamin K
- Form feces
- Removal of feces

- Anatomy:
  - a. cecum
  - b. ascending colon
  - c. transverse colon
  - d. descending colon
  - e. sigmoid colon
  - f. rectum
  - g. anus

### **Urinary System Review**

### 11.01 General Functions

- Maintain homeostasis by regulating the composition and volume of blood
- Excretes H20 and nitrogenous wastes
- Eliminate heat
- Maintain blood pressure
- Help in metabolic processes

# 11.02 Four organs of Urinary

- · Kidneys: filter blood and uring
- Ureters: tube from kidney to bladder
- Bladder: stores urine for secretion
- Urethra: tube leading from bladder to exterior

### 11.03 Anatomy of Kidney

- Renal capsule: tissue surrounding kidney/barrier
- Adipose Capsule: fat surrounding kidney/protect
- Renal Fascia: anchors kidney to surrounding structures
- Renal Pelvis: collects urine from renal pyramids

### 11.04 Nephron

- Renal Corpuscle
  - a. Glomerulus: capillary network
  - b. bowmans capsule: surrounds glomerulus
  - c. Afferent arteriole: approaching glomerulus
  - d. Efferent arteriole: leaving glomerulus
- Renal Tubule
  - a. proximal convoluted tubule
  - b. loop of henle
  - c. distal convoluted tubule
  - d. Peritubular capillaries
- Collecting Duct

#### 11.05 Urine Formation

- Glomerular Filtration: force fluid through membrane to filter
- Tubular Absorption: filter from tubules to blood
- Tubular Secretion: addition of materials to filtrate from blood

#### 11.06 Urine

- Color: yellow or amber
- Turbidity: clear

- Odor: shouldn't have unless old due to ammonia
- pH: 4.6-8.0
- Specific gravity
- Chemical Composition:
  - a. urea
  - b. uric acid
  - c. creatine
  - d. ketones
  - e. hypuric acid
  - f. indican
  - g. organic and inorganic materials

#### 11.07 Fluids

- Micturition: urination
- Voiding: elimination of urine
- Sweat: evaporation of fluids to regular temp.
- Feces: water eliminated through defecation
- Exhaled vapor: fluid lost through ventilation of exhaled vapor

### **Unit 16 Reproductive Review**

#### 12.01 Function

- Produce offspring
- Pass on genetic information
- Produce and secrete hormones

### 12.02 Male Genitalia

- Testes: male sex organs
- Epidydimus: site of sperm maturation
- Ductus Deferens: passage for sperm from epididymus to urethra
- Ejaculatory Ducts: ducts under the bladder to eject sperm into prostate
- Urethra: eject sperm and urine
- Accessories
  - a. seminal vessicles: secretes fluid to add to semen (nutrients)
  - b. Prostate gland: secretes fluid to add to semen
  - c. Cowpers glands: lubrication for intercourse, add fluid to semen
- Scrotum: encloses and protects testes
- Penis: introduce sperm to female genitalia

### 12.03 Function of Testes

- Production of sperm
- Production of testosterone

#### 12.04 Functions of Testosterone

- Growth and development
- Maintain sex organs
- Stimulate bone growth
- · Close epiphyseal plate
- Influence sexual behavior
- Sperm maturation
- Stimulates secondary sex characteristics

### 12.05 Female Reproductive Structures

- Ovaries: develop egg cells
- Vagina: passageway for sperm and menstrual flow, receptacle for penis
- Vulva: external genitalia
  - a. Labia Majora: outer lip, covered with pubic hair
  - b. Labia Minora: inner lip, no pubic hair
  - c. Clitoris: nervous and erectile tissue
  - d. Vestibular glands: produce lubrication for intercourse
- Mammary Glands: milk producing glands
  - a. areola: dark area surrounding nipple
  - b. nipple: raised area for infant suckling

### 12.06 Functions of the Ovaries

- Produce mature ovum
- Ovulation
- Secretion of female hormones

#### 12.07 Fallopian/Uterine Tubes

- Transport ova from site of ovulation to uterus
- Infundibulum: funnel opening next to ovaries
- Fimbriae: finger-like projections that draw egg into tube

### 12.08 Uterus

- · Cervix: opening to the vaginal canal
- Perimetrium: outermost layer
- Myometrium: smooth muscle tissue for expansion and contraction
- Endometrium: layer shed during menstruation; layer used for implantation of blastocyst

### 12.09 Cycles

- Menstrual cycle: series of changes in endometrium
- Ovarian cycle: series of changes associated with the maturation of an ovum

#### 12.10 Hormones

- Estrogen
  - a. devt. and maintenance of the female repro system
  - b. fluid and electrolyte balance
  - c. blood calcium and bone density levels
  - d. protein anabolism
- Progesterone
  - a. maturation
  - b. prepare and maintain uterine lining

- Relaxin
  - a. relaxes pubic symphisis
  - b. dilate cervix for delivery
- 12.11 Gamete Production
- Spermatogenesis: production of sperm
- Oogenesis: production of eggs
- 12.12 Human Development
- Fertilization: union of sperm with egg
- Zygote: fertilized egg
- 16 cells in mass: morula
- · Blastocyst: attaches to endometrium
- Implantation: blastocyst inserts itself into lining
- Embryo: first eight weeks
- Fetus: eight weeks to birth
- 12.13 Labor
- Stage 1: dilation and effacement of cervix
  - a. amniotic sac ruptures
  - b. dilate cervix to 10 cm
- Stage 2: birth and delivery through vaginal canal or cesarean section
- Stage 3: placental expulsion